



Pipe Selection Guide

AIRnet Stainless Steel

4 bar

Flow			Length												
Nl/min	Nm3/h	cfm	Nl/s	Nm ³ /min	25m	50m	100m	150m	200m	250m	300m	400m	500m	1000m	2000m
230	14	8	4	0.2	15	15	18	18	18	22	22	22	28	28	28
650	39	23	11	0.7	18	22	28	28	28	28	35	35	42	42	42
900	54	32	15	0.9	22	22	28	28	35	35	35	35	42	54	54
1200	72	42	20	1.2	22	28	28	35	35	35	42	42	54	54	54
1750	105	62	29	1.8	28	28	35	35	42	42	42	54	54	54	76
2000	120	71	33	2.0	28	35	35	42	42	42	54	54	54	76	76
2500	150	88	42	2.5	28	35	42	42	42	54	54	54	76	76	76
3000	180	106	50	3	35	35	42	42	54	54	54	54	76	76	76
3500	210	124	58	3.5	35	42	42	54	54	54	54	76	76	76	76
4500	270	159	75	4.5	35	42	54	54	54	76	76	76	76	76	89
6000	360	212	100	6	42	54	54	54	76	76	76	76	89	89	108
7000	420	247	117	7	42	54	54	76	76	76	76	76	89	89	108
8500	510	300	142	8.5	54	54	76	76	76	76	76	89	89	108	108
12000	720	424	200	12	54	76	76	76	76	89	89	89	108	108	108
15000	900	530	250	15	54	76	76	76	89	89	108	108	108	108	108
18000	1080	636	300	18	76	76	76	89	89	108	108	108	108	108	108
21000	1260	742	350	21	76	76	89	89	89	108	108	108	108	108	108
26000	1560	918	433	26	76	76	89	108	108	108	108	108	108	108	108
31000	1860	1095	517	31	76	89	89	108	108	108	108	108	108	108	108
33000	1980	1165	550	33	76	89	108	108	108	108	108	108	108	108	108
44000	2640	1554	733	44	89	89	108	108	108	108	108	108	108	108	108
50000	3000	1766	833	50	89	108	108	108	108	108	108	108	108	108	108
58000	3480	2048	967	58	89	108	108	108	108	108	108	108	108	108	108
67000	4020	2366	1117	67	89	108	108	108	108	108	108	108	108	108	108
75000	4500	2648	1250	75	108	108	108	108	108	108	108	108	108	108	108
83000	4980	2931	1383	83	108	108	108	108	108	108	108	108	108	108	108
92000	5520	3249	1533	92	108	108	108	108	108	108	108	108	108	108	108
100000	6000	3531	1667	100	108	108	108	108	108	108	108	108	108	108	108

7 bar

Flow			Length												
Nl/min	Nm3/h	cfm	Nl/s	Nm ³ /min	25m	50m	100m	150m	200m	250m	300m	400m	500m	1000m	2000m
230	14	8	4	0.2	15	15	18	18	18	18	18	18	22	22	28
650	39	23	11	0.7	15	18	22	22	22	28	28	28	35	35	35
900	54	32	15	0.9	18	18	22	28	28	28	28	28	35	35	42
1200	72	42	20	1.2	18	22	28	28	28	28	35	35	42	42	42
1750	105	62	29	1.8	18	28	28	28	35	35	35	42	42	54	54
2000	120	71	33	2.0	22	28	28	35	35	35	42	42	54	54	54
2500	150	88	42	2.5	28	28	35	35	35	42	42	42	54	54	54
3000	180	106	50	3	28	28	35	35	42	42	42	54	54	54	76
3500	210	124	58	3.5	28	35	35	42	42	42	54	54	54	76	76
4500	270	159	75	4.5	28	35	42	42	42	54	54	54	76	76	76
6000	360	212	100	6	35	42	42	54	54	54	54	76	76	76	76
7000	420	247	117	7	35	42	54	54	54	54	76	76	76	76	89
8500	510	300	142	8.5	35	42	54	54	54	76	76	76	76	89	89
12000	720	424	200	12	42	54	54	76	76	76	76	76	89	89	108
15000	900	530	250	15	54	54	76	76	76	76	76	89	89	108	108
18000	1080	636	300	18	54	54	76	76	76	76	89	89	108	108	108
21000	1260	742	350	21	54	76	76	76	76	89	89	89	108	108	108
26000	1560	918	433	26	54	76	76	76	89	89	108	108	108	108	108
31000	1860	1095	517	31	76	76	76	89	89	104	108	108	108	108	108
33000	1980	1165	550	33	76	76	76	89	89	108	108	108	108	108	108
44000	2640	1554	733	44	76	76	89	108	108	108	108	108	108	108	108
50000	3000	1766	833	50	76	76	89	108	108	108	108	108	108	108	108
58000	3480	2048	967	58	76	89	108	108	108	108	108	108	108	108	108
67000	4020	2366	1117	67	76	89	108	108	108	108	108	108	108	108	108
75000	4500	2648	1250	75	76	89	108	108	108	108	108	108	108	108	108
83000	4980	2931	1383	83	89	108	108	108	108	108	108	108	108	108	108
92000	5520	3249	1533	92	89	108	108	108	108	108	108	108	108	108	108
100000	6000	3531	1667	100	89	108	108	108	108	108	108	108	108	108	108

10 bar

Flow			Length												
Nl/min	Nm ³ /h	cfm	Nl/s	Nm ³ /min	25m	50m	100m	150m	200m	250m	300m	400m	500m	1000m	2000m
230	14	8	4	0.2	15	15	15	15	15	15	15	18	18	22	22
650	39	23	11	0.7	15	15	18	18	22	22	22	28	28	28	28
900	54	32	15	0.9	15	18	18	22	22	28	28	28	28	35	35
1200	72	42	20	1.2	18	18	22	22	28	28	28	28	35	35	42
1750	105	62	29	1.8	18	22	28	28	28	28	35	35	42	42	42
2000	120	71	33	2.0	22	22	28	28	28	35	35	35	42	42	54
2500	150	88	42	2.5	22	28	28	28	35	35	35	42	42	54	54
3000	180	106	50	3	22	28	28	35	35	35	42	42	54	54	54
3500	210	124	58	3.5	28	28	35	35	35	42	42	42	54	54	54
4500	270	159	75	4.5	28	28	35	35	42	42	42	54	54	54	76
6000	360	212	100	6	28	35	42	42	42	54	54	54	76	76	76
7000	420	247	117	7	35	35	42	42	54	54	54	54	76	76	76
8500	510	300	142	8.5	35	35	42	54	54	54	54	76	76	76	76
12000	720	424	200	12	35	42	54	54	54	76	76	76	76	89	89
15000	900	530	250	15	42	54	54	54	76	76	76	76	89	89	89
18000	1080	636	300	18	42	54	54	76	76	76	76	76	89	108	108
21000	1260	742	350	21	42	54	76	76	76	76	76	76	89	108	108
26000	1560	918	433	26	54	54	76	76	76	76	89	89	108	108	108
31000	1860	1095	517	31	54	76	76	76	76	89	89	89	108	108	108
33000	1980	1165	550	33	54	76	76	76	76	89	89	108	108	108	108
44000	2640	1554	733	44	76	76	76	89	89	108	108	108	108	108	108
50000	3000	1766	833	50	76	76	76	89	89	108	108	108	108	108	108
58000	3480	2048	967	58	76	76	89	89	108	108	108	108	108	108	108
67000	4020	2366	1117	67	76	76	89	108	108	108	108	108	108	108	108
75000	4500	2648	1250	75	76	76	89	108	108	108	108	108	108	108	108
83000	4980	2931	1383	83	76	89	108	108	108	108	108	108	108	108	108
92000	5520	3249	1533	92	76	89	108	108	108	108	108	108	108	108	108
100000	6000	3531	1667	100	76	89	108	108	108	108	108	108	108	108	108

12 bar

Flow			Length												
Nl/min	Nm3/h	cfm	Nl/s	Nm ³ /min	25m	50m	100m	150m	200m	250m	300m	400m	500m	1000m	2000m
230	14	8	4	0.2	15	15	15	15	15	15	15	15	18	18	22
650	39	23	11	0.7	15	15	18	18	18	22	22	22	28	28	28
900	54	32	15	0.9	15	18	18	22	22	22	28	28	28	35	35
1200	72	42	20	1.2	18	18	22	22	22	28	28	28	35	35	35
1750	105	62	29	1.8	18	22	22	28	28	28	28	35	35	42	42
2000	120	71	33	2.0	22	22	28	28	28	28	35	35	42	42	42
2500	150	88	42	2.5	22	22	28	28	28	35	35	35	42	42	54
3000	180	106	50	3	22	28	28	28	35	35	35	42	42	54	54
3500	210	124	58	3.5	28	28	28	35	35	35	42	42	54	54	54
4500	270	159	75	4.5	28	28	35	35	35	42	42	42	54	54	54
6000	360	212	100	6	28	35	35	42	42	42	54	54	54	76	76
7000	420	247	117	7	35	35	35	42	42	54	54	54	76	76	76
8500	510	300	142	8.5	35	35	42	42	54	54	54	54	76	76	76
12000	720	424	200	12	35	42	54	54	54	54	76	76	76	76	89
15000	900	530	250	15	42	42	54	54	54	76	76	76	76	89	89
18000	1080	636	300	18	42	54	54	54	76	76	76	76	89	89	89
21000	1260	742	350	21	42	54	54	76	76	76	76	76	89	89	108
26000	1560	918	433	26	54	54	76	76	76	76	76	89	89	108	108
31000	1860	1095	517	31	54	54	76	76	76	76	89	89	108	108	108
33000	1980	1165	550	33	54	54	76	76	76	76	89	89	108	108	108
44000	2640	1554	733	44	54	76	76	76	89	89	89	108	108	108	108
50000	3000	1766	833	50	54	76	76	89	89	89	108	108	108	108	108
58000	3480	2048	967	58	76	76	76	89	89	108	108	108	108	108	108
67000	4020	2366	1117	67	76	76	89	89	108	108	108	108	108	108	108
75000	4500	2648	1250	75	76	76	89	89	108	108	108	108	108	108	108
83000	4980	2931	1383	83	76	76	89	108	108	108	108	108	108	108	108
92000	5520	3249	1533	92	76	89	89	108	108	108	108	108	108	108	108
100000	6000	3531	1667	100	76	89	108	108	108	108	108	108	108	108	108

13 bar

Flow			Length												
Nl/min	Nm ³ /h	cfm	Nl/s	Nm ³ /min	25m	50m	100m	150m	200m	250m	300m	400m	500m	1000m	2000m
230	14	8	4	0.2	15	15	15	15	15	15	15	15	18	18	22
650	39	23	11	0.7	15	15	15	18	18	18	22	22	28	28	28
900	54	32	15	0.9	15	18	18	18	22	22	22	28	28	28	35
1200	72	42	20	1.2	15	18	18	22	22	28	28	28	35	35	35
1750	105	62	29	1.8	18	18	22	28	28	28	28	35	35	42	42
2000	120	71	33	2.0	18	22	22	28	28	28	35	35	35	42	42
2500	150	88	42	2.5	18	22	28	28	28	35	35	35	42	42	54
3000	180	106	50	3	22	22	28	28	35	35	35	35	42	54	54
3500	210	124	58	3.5	22	28	28	35	35	35	35	42	42	54	54
4500	270	159	75	4.5	28	28	35	35	35	42	42	42	54	54	54
6000	360	212	100	6	28	28	35	35	42	42	42	54	54	76	76
7000	420	247	117	7	28	35	35	42	42	42	54	54	54	76	76
8500	510	300	142	8.5	28	35	42	42	42	54	54	54	76	76	76
12000	720	424	200	12	35	42	42	54	54	54	54	76	76	76	76
15000	900	530	250	15	35	42	54	54	54	76	76	76	76	76	89
18000	1080	636	300	18	42	42	54	54	54	76	76	76	76	89	89
21000	1260	742	350	21	42	54	54	54	76	76	76	76	89	89	108
26000	1560	918	433	26	42	54	54	76	76	76	76	76	89	108	108
31000	1860	1095	517	31	54	54	76	76	76	76	89	89	108	108	108
33000	1980	1165	550	33	54	54	76	76	76	76	89	89	108	108	108
44000	2640	1554	733	44	54	76	76	76	76	89	108	108	108	108	108
50000	3000	1766	833	50	54	76	76	76	89	89	108	108	108	108	108
58000	3480	2048	967	58	76	76	76	89	89	108	108	108	108	108	108
67000	4020	2366	1117	67	76	76	76	89	89	108	108	108	108	108	108
75000	4500	2648	1250	75	76	76	89	89	108	108	108	108	108	108	108
83000	4980	2931	1383	83	76	76	89	89	108	108	108	108	108	108	108
92000	5520	3249	1533	92	76	76	89	108	108	108	108	108	108	108	108
100000	6000	3531	1667	100	76	89	89	108	108	108	108	108	108	108	108

16 bar

Flow			Length												
Nl/min	Nm3/h	cfm	Nl/s	Nm ³ /min	25m	50m	100m	150m	200m	250m	300m	400m	500m	1000m	2000m
230	14	8	4	0.2	15	15	15	15	15	15	15	15	15	18	18
650	39	23	11	0.7	15	15	15	15	18	18	18	22	22	28	28
900	54	32	15	0.9	15	15	18	18	18	22	22	22	28	28	28
1200	72	42	20	1.2	15	18	18	22	22	22	28	28	28	35	35
1750	105	62	29	1.8	15	18	22	22	28	28	28	28	35	35	42
2000	120	71	33	2.0	18	18	22	22	28	28	28	28	35	42	42
2500	150	88	42	2.5	18	22	22	28	28	28	35	35	35	42	42
3000	180	106	50	3	18	22	28	28	28	35	35	35	42	42	42
3500	210	124	58	3.5	22	22	28	28	28	35	35	35	42	42	54
4500	270	159	75	4.5	22	28	28	35	35	35	42	42	42	54	54
6000	360	212	100	6	28	28	35	35	35	42	42	42	54	54	54
7000	420	247	117	7	28	28	35	35	42	42	42	54	54	54	76
8500	510	300	142	8.5	28	35	35	42	42	42	54	54	54	76	76
12000	720	424	200	12	35	35	42	42	54	54	54	54	76	76	76
15000	900	530	250	15	35	42	42	54	54	54	54	76	76	76	76
18000	1080	636	300	18	35	42	54	54	54	54	76	76	76	76	89
21000	1260	742	350	21	42	42	54	54	54	76	76	76	76	89	89
26000	1560	918	433	26	42	54	54	76	76	76	76	76	89	89	108
31000	1860	1095	517	31	42	54	54	76	76	76	76	76	89	89	108
33000	1980	1165	550	33	42	54	54	76	76	76	76	76	89	108	108
44000	2640	1554	733	44	54	54	76	76	76	76	89	89	108	108	108
50000	3000	1766	833	50	54	76	76	76	76	89	89	89	108	108	108
58000	3480	2048	967	58	54	76	76	76	89	89	89	108	108	108	108
67000	4020	2366	1117	67	54	76	76	76	89	89	108	108	108	108	108
75000	4500	2648	1250	75	76	76	76	89	89	108	108	108	108	108	108
83000	4980	2931	1383	83	76	76	76	89	89	108	108	108	108	108	108
92000	5520	3249	1533	92	76	76	89	89	108	108	108	108	108	108	108
100000	6000	3531	1667	100	76	76	89	89	108	108	108	108	108	108	108